

### **Regulatory Compliance Testing**

#### **ANALYZED BY:**

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



#### **DISTRIBUTOR:**

Sense Distribution 3407 Industrial Dr. Santa Rosa, CA 95403 C11-0001101-LIC

Matrix:

Batch #:

#### **CULTIVATOR / MANUFACTURER:**

Strictly Topical Incorporated 1525 Francisco East San Rafael, CA 94901 CDPH-1000402

#### **SAMPLE INFORMATION**

Sample No.: Green Bee Massage Oil 2ml & 30ml **Product Name:** 

Topical (Other) GBBMS011122SR

Product-Batch Size (Units): 966 Sample Increments:

Sample Weight / Increment (g): Total Sample Weight

2ml (4 units) & 30ml (4 units)

128 ml 01/31/2022 Date Collected: **Date Received:** 02/01/2022

**TEST SUMMARY** 

Cannabinoid Profile: Pass **Pesticide Residue Screen: Pass** Pass **Heavy Metal Screen:** Pass Mycotoxin Screen:

Microbiological Screen: Residual Solvent Screen: Pass Pass

02/07/2022

Foreign Material: Overall:

**Date Reported:** 

Pass Pass

02/07/2022

Cannabinoid Profile Pass

Method: MF12D012

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.067 mg/g Limit of Quantification 0.2 mg/g

Cannabinoid	mg/g	%	mg/package	Labeled mg/package	% Difference (mg/ package)	Status
Δ8-ΤΗС	ND	ND	ND/ND	-	-	-
Δ9-ΤΗС	4.55	0.455	8.32 / 124.75	9	7.59	Pass
Δ9-ΤΗCΑ	ND	ND	ND/ND	-	-	-
THCV	ND	ND	ND/ND	-	-	-
THCVA	ND	ND	ND/ND	-	-	-
CBD	1.52	0.152	2.77 / 41.62	3	7.52	-
CBDA	0.22	0.022	0.40 / 6.02	-	-	-
CBC	ND	ND	ND/ND	-	-	-
CBCA	ND	ND	ND/ND	-	-	-
CBDV	ND	ND	ND/ND	-	-	-
CBG	<loq< td=""><td><loq< td=""><td><loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq></td></loq<></td></loq<>	<loq< td=""><td><loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq></td></loq<>	<loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq>	-	-	-
CBGA	ND	ND	ND/ND	-	-	-
CBN	<loq< td=""><td><loq< td=""><td><loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq></td></loq<></td></loq<>	<loq< td=""><td><loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq></td></loq<>	<loq <loq<="" td=""><td>-</td><td>-</td><td>-</td></loq>	-	-	-
Total THC	4.55	0.455	8.32 / 124.75	-	-	-
Total CBD	1.71	0.171	3.13 / 46.89	-	-	-
Total Cannabinoids	6.29	0.629	11.49 / 172.39	-	-	-
Total Active Cannabinoids	6.26	0.626	11.44 / 171.65	-	-	-
Package Weight (g)	1.828					

02/03/2022

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/25g	Pass
STEC	3M MDS STEC/EAE	Negative/25g	Pass

**Pesticide Residue Screen OP** Pass

02/03/2022

MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass

Sample #: 1111095

Anresco Laboratories www.anresco.com

1375 Van Dyke Ave, San Francisco, CA 94124

pagel of 3 Report ID: S-2 Batch #: GBBMS011122SR



# **Regulatory Compliance Testing**

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Azoxystrobin	0.02/0.06	<loq< td=""><td>40.0</td><td>Pass</td></loq<>	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos			0.02	Pass
	0.02/0.06	ND		
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvous)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
•				
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
•	0.02/0.00			
Spiromesifen	0.04/0.10	ND		
Culvatatvamat	0.04/0.10	ND ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06 0.02/0.06	ND ND	13.0 0.02	Pass Pass
Spiroxamine Tebuconazole	0.02/0.06 0.02/0.06 0.02/0.06	ND ND ND	13.0 0.02 2.0	Pass Pass Pass
Spiroxamine Tebuconazole Thiaclorprid	0.02/0.06 0.02/0.06 0.02/0.06 0.02/0.06	ND ND ND ND	13.0 0.02 2.0 0.02	Pass Pass Pass Pass
Spiroxamine Tebuconazole	0.02/0.06 0.02/0.06 0.02/0.06	ND ND ND	13.0 0.02 2.0	Pass Pass Pass

**Residual Solvent Screen** Pass

02/03/2022

USP OVI<467> Method:

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1111095 Batch #: GBBMS011122SR page2 of 3

Report ID: S-2



## **Regulatory Compliance Testing**

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	Not Applicable	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	Not Applicable	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

**Heavy Metal Screen OP** Pass

02/02/2022

MF 24E020 Method:

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

02/02/2022 Foreign Material Pass

Method: Visual

Analyte	Findings	Limit	Status	
Sand, Soils, Cinders, and Dirt	ND	25%	Pass	
Mold	ND	25%	Pass	
Imbedded Foreign Material	ND	25%	Pass	
Insect Fragment	ND	1 per 3g	Pass	
Hair	ND	1 per 3g	Pass	
Mammalian Excreta	ND	1 ner 3g	Pass	

02/03/2022 **Mycotoxin Screen OP** Pass

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Afalatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by

Eric Tam Senior Chemist Scan to verify

February 07, 2022

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1111095 Batch #: GBBMS011122SR

page3 of 3 Report ID: S-2